



LAB®

www.labpins.com
800-243-8242



PROVIDING THE
SECURITY WORLD
WITH QUALITY
SINCE 1956

#1 CHOICE
for security
professionals

- Lock Tumbler Pins
- Pinning Kits
- Security Tools

PRODUCT GUIDE

ISO CERTIFIED 9001:2015

INDEX

LAB SECURITY ASSOCIATIONS WE PROUDLY SUPPORT	1
LAB PIN PACKAGING	2
LAB UNIVERSAL PIN INFORMATION	3
LAB PIN REFILL PACKS	4
LAB CYLINDER SPRINGS/CAPS/SHIMS	5-7
LAB ORIGINAL PINS	8-9
LAB UNIVERSAL PINNING KITS	10-12
LAB INTERCHANGEABLE CORE PINNING KITS (METAL)	13
LAB ORIGINAL LOCK MANUFACTURER'S PINNING KITS	14-15
LAB ORIGINAL LOCK MANUFACTURER'S PINNING KITS (MINI DUR-X)	16
LAB CUSTOM PINNING PRODUCTS	17
LAB TOOLS & ACCESSORIES	18-22
LAB BRAND PRODUCTS FOR BEST INTERCHANGEABLE CORES	23
LAB INTERCHANGEABLE CORE PIN REFERENCE GUIDE	24



700 Emmett St.
Bristol, CT, 06010

LAB is the largest manufacturer of Swiss quality lock tumbler pins and pin kits. Servicing major lock manufacturers, the finest wholesale distributors and security professionals worldwide.

LAB provides precision lock tumbler pins, pin kits and LAB tools to over 30 of the largest lock manufacturers worldwide, all the leading lock wholesale distributors and contract hardware suppliers worldwide.

Since 1956 LAB

has specialized in the manufacturing of lock pins. LAB is the largest manufacturer of lock pins and lock rekeying kits and LAB has the reputation of being the highest quality lock tumbler pin manufacturer. LAB lock tumbler pins, rekeying kits and locksmith tools are the only choice of the finest lock manufacturers, security professionals, all the leading lock wholesale distributors, and contract hardware suppliers worldwide.

Visit www.labpins.com

to get the latest information on the LAB product line in addition to:

- LAB Order Form
- Product Listing of LAB Kits
- Artwork for all LAB Products
- Locate a Distributor Near You
- Company Overview
- Downloadable Product Guide

Plus much more information required to answer all your product questions

Ace, Arrow, BEST, Baldwin, CCL, Corbin, Russwin, Dexter, Dorma Kaba, Falcon, Kwikset, Master, Medeco, Kaba, Keymark, Medeco Biaxial, National, Sargent, Schlage, Weiser, Weslock, Yale, Delrin and other trade names and trademarks used in this Product Guide are owned by the respective manufacturers of such products.

Premium Quality Lock Pins, Rekeying Kits and Locksmith Tools

Phone: 1-800-243-8242

Fax: 860-583-7838

LAB is proud to be a member of the following Associations and various regional locksmith associations and schools.





Pin Packaging



SMART PAC®

- The standard in pin packaging
- Separates pins into two tamper-proof, safety-sealed compartments
- 150 pins per pack
- Increment identification
- Clear packaging allows view of contents
- Easy storage
- **Packaging Code (S1)**



POLYBAG

- The sealed Polybag is used for LAB Brand original lock manufacturer's cylinder pins and refill packs
- **Packaging Code (P1)**



"REUSABLE" FLIP TOP VIAL

- The snaptop lid allows you to re-seal the container and store for easy inventory
- **Packaging Code (V1)**

VIAL STADIUM

LSS001

- Holds 35 LAB Vials
- Screw down feet for easy mounting on walls, benches or in vans
- Vials not included

Quality Universal Pins

Use Only Genuine LAB Tumbler Pins for Guaranteed Accuracy



.003[®] SYSTEM

“The New Standard”

Created and designed for LAB

by Robert A. Labbe, LAB President, CEO

- The LAB Royal Crown Pin™ Design is a *Registered Trademark* of LAB Security Systems
- .115 Diameter
- The most accurate universal pin made
- Use with the confidence of Original Manufacturer’s Pins
- COLOR-CODED (LAB Copyrighted System)
- RADIUS EDGES that blend into flat center so master pins will not tip or roll, this design compensates for cylinders with larger tolerances.
- Nose designed to decrease key insertion force
- Full hard brass alloy

Packaging Code (S4)(V4) 150 pins per pack

Tops: .024 - .141

Bottoms: .126-.360

.005 SYSTEM

- .115 Diameter
- FLAT CENTER with precision chamfer, nose, finish and length
- COLOR-CODED to Lock Industry Standards
- Precision machined to exceed industry standards
- Full hard brass alloy

Packaging Code (S4)(V4) 150 pins per pack

Tops: .010 - .320

Bottoms: .115 - .360



NOTE:
For COLOR-CODED
Brass Universal
Interchangeable
Core Pins
See Page 13



.003[®] PIN KIT REFILL PACK

KRP003

- Contains 124 packs of Color Coded LAB Universal Tumbler Pins
- Tops: .010 -.200
- Bottoms: .156 -.360
- 50 pins per size
- .115 Diameter



.005 PIN KIT REFILL PACK

KRP005

- Contains 102 packs of Color Coded LAB Universal Tumbler Pins
- Tops: .010-.300
- Bottoms: .150 - .360
- 50 pins per size
- .115 Diameter



ICORE REFILL PACK

KRPIC

- Contains 28 Packs (A2)
- COLOR-CODED Universal Brass
- 18 Brass Master Pins sizes 2-19
- 10 Bottom Pins sizes 0-9
- Brass Caps - Stamped (100 per pack)
- 100 pins per size
- .108 Diameter



SCHLAGE REFILL PACK

KRPSCH

- 22 packs of pins
- 1 Brass T-Pin Driver F506-451
- 8 Brass Master Pins sizes 2-9
- 3 Brass Top Pins sizes: 1-3
- 10 Nickel Silver Bottom Pins sizes 0-9
- .115 Diameter
- 100 pins per size
- Original Manufacturer's Specifications



KWIKSET REFILL PACK

KRPKWK

- 16 packs of pins
- COLOR-CODED Brass
- 6 Brass Master Pins sizes 1-6
- 2 Brass Standard Top Pins (.160/.180)
- 2 Brass Spool Pins (.160/.180)
- 6 Brass Bottom Pins sizes 1-6
- .115 Diameter
- 100 pins per size
- Original Manufacturer's Specifications

Springs

SPRINGS PHOSPHOR BRONZE • 100 PER PACK EXCEPT WHERE NOTED

SPRINGS FOR INTERCHANGEABLE CORES .108



IC Long

- Best Style
- Part Number**
108BV1
108BP1
108BP5 (500 Springs)



UNIVERSAL .115LT

- Long Tangle Resistant
- Part Number**
115LTV1
115LTP1



IC Short

- Falcon, Arrow, Schlage small format, Medeco Keymark
- Part Number**
108FV1
108FP1



STANDARD UNIVERSAL .115L

- Long
- Part Number**
115LV1
115LP1



BEST ORIGINAL STAINLESS STEEL IC SPRINGS

- Part Number**
108SP1
108SV1
108SP5 (500 Springs)



STANDARD UNIVERSAL .115S

- Short
- Part Number**
115SV1
115SP1

PACKAGE IDENTIFICATION S1 = Smart Pac V1 = Vial P1 = Polybag

Springs

SPRINGS PHOSPHOR BRONZE • 100 PER PACK EXCEPT WHERE NOTED



CORBIN RUSSWIN STANDARD

STAINLESS STEEL

Part Number

111SDV1

(MFG# 603F207)

- .111 Diameter Springs



SCHLAGE(T) PIN SPRING F SERIES

Part Number

SPGSCHV1

(MFG# F506-453)

- .103 Diameter Springs



CORBIN RUSSWIN INTERCHANGEABLE CORE

Part Number

111ICV1

(MFG# 172F217)

- .111 Diameter Springs



SCHLAGE/WEISER CYL. CAP SPRING

Part Number

SP74V1

(MFG# C503-115)

- .080 Diameter Springs



ACE SPRING

Part Number

SPGACEV1

(MFG# AC8)

- .077 Diameter Springs



KWIKSET

STAINLESS STEEL

Part Number

KWKSPGV1

KWKSPGP1

(MFG# 1777)

- .110 Diameter Springs



MASTER PADLOCK, YALE, CCL/NATIONAL


Part Number

SP95V1

- .095 Diameter Springs

PACKAGE IDENTIFICATION S1 = Smart Pac V1 = Vial P1 = Polybag

ORIGINAL DESIGN BRASS PIN COVERS



6 Pin

- Nominal Length .905"
- 25 per pack

Part Number FSC6V25

- 100 per pack

Part Number FSC6V100



7 Pin

- Nominal length 1.065"
- 25 per pack

Part Number FSC7V25

- 100 per pack



CURVED SHIM

- Length - 1.5" +/- 1/16"
- .0015 Stainless Steel
- Exceeds Industry Standard

Part Number LSM0V25

- 25 Pack

Part Number LSM0V100

- 100 Pack

OFFERING BOTH a machined & stamped cap

LAB offers both a machined and stamped cap. The stamped caps are designed to original BEST specifications and are good for use on cores where the chambers have been compromised from multiple repinning. The stamped cap is .1185 x .025.

The machined caps are designed for new cores where the chambers have not been compromised from multiple repinning. The machined cap is .117 x .027

ORIGINAL DESIGN CORE CAPS

Stamped Brass

- 100 per pack
- Part Number I027V1, I027S1**
- 500 per pack
- Part Number I027P5**
- Thickness .025 +/- .002"
- Diameter .1185 +/- .0005"



Machined Brass

- 100 per pack
- Part Number I027MV1, I027MS1**
- 500 per pack
- Part Number I027MP5**
- Thickness .027 +/- .0010"
- Diameter .117 +/- .0005"



PACKAGE IDENTIFICATION S1 = Smart Pac V1 = Vial P1 = Polybag



Original Manufacturer's Pins

ALL LAB BRAND ORIGINAL PINS • 100 PER PACK EXCEPT WHERE NOTED

LAB Brand Interchangeable Core Pins

BEST ORIGINAL IC Pins by LAB for A2, A3, A4 Systems (P1) for use with all BEST Interchangeable Cores



.108 Dia.

- A2 Master / Top Brass Pin sizes: 2B-19B
Bottom Nickel Silver Pin sizes: 0A-9A
- A3 Master / Top Brass Pin sizes: 1D-13D
Bottom Nickel Silver Pin sizes: 0C-6C
- A4 Master / Top Brass Pin sizes: 1F-11F
Bottom Nickel Silver Pin sizes: 0E-5E

LAB UNIVERSAL ICORE Pins for A2, A3, A4 Systems (V1) (S1) for use with all ICORES using Brass Keys (Except BEST) ie; Falcon, Arrow, Schlage small format, Medeco Keymark



.108 Dia.

- COLOR-CODED
- A2 Master / Top Brass Pin sizes: 1B-19B
Bottom Brass Pin sizes: 0A-9A
- A3 Master / Top Brass Pin sizes: 1D-13D
Bottom Brass Pin sizes: 0C-6C
- A4 Master / Top Brass Pin sizes: 1F-11F
Bottom Brass Pin sizes: 0E-5E

LAB ORIGINAL ICORE Pins for A2, A3, A4 Systems (V1) (P1) for use with all ICORES using Nickel Silver Keys (Except BEST) ie; Falcon, Arrow, Schlage small format, Medeco Keymark



.108 Dia.

- A2 Master / Top Brass Pin sizes: 2B-19B
Bottom Nickel Silver Pin sizes: 0A-9A
- A3 Master / Top Brass Pin sizes: 1D-13D
Bottom Nickel Silver Pin sizes: 0C-6C
- A4 Master / Top Brass Pin sizes: 1F-11F
Bottom Nickel Silver Pin sizes 0E-5E

SEE PAGES 23-24 FOR MORE PRODUCT INFORMATION



.115 Dia.

SCHLAGE CYLINDERS (V1) (S1) (P1)

- 8 Brass Master Pins - sizes: 2-9
- 3 Brass Driver Pins - lengths: .165, .200, .235
- 10 Nickel Silver Bottom Pins - sizes 0-9



.115 Dia.

SCHLAGE T-Pin (V1) (S1) (P1)

- For use in all Schlage "F" Series Compressible Cylinders
- Made from Full Hard Brass Alloy 360
- Schlage - MFG# F506 - 451 506451V1, 506451S1, 506451P1



.092 Dia.

SCHLAGE Cap Retainer Pin (V1)

- Made from Full Hard Brass Alloy 360
- Schlage - MFG# C503-116
- Part Number SCHCAP



.115 Dia.

KWIKSET CYLINDERS (V1) (S1) (P1)

- COLOR-CODED to Industry Specifications
- 7 Brass Master Pins - lengths: .023, .031, .046, .069, .092, .115, .138
- 2 Brass Standard Driver Pins - lengths: .160, .180
- 2 Brass Anti-Pick Driver Pins - lengths: .160, .180
- 7 Brass Bottom Pins - lengths: .172, .195, .218, 241, .264, .287 .310
- .310 Polybag only LK310BP1



.108 Dia.

DORMA KABA Full-Size SKC CYLINDERS (P1)

- 4 Nickel Silver Top Pins - sizes (See Order Form)
- 10 Nickel Silver Bottom Pins sizes 0-9



.115 Dia.

WEISER CYLINDERS (V1) (S1) (P1)

- COLOR-CODED to Industry Specifications
- 8 Brass Master Pins - sizes: 2-9
- 1 Brass Driver Pin - length: .186
- 10 Brass Bottom Pins - sizes: 0-9
- Cap Retainer Pin W425R0 (Vial Only)



.115 Dia.

CORBIN/RUSSWIN CYLINDERS (V1)

- 101 Brass Master/Top Pins
Sizes: M028 - M320
- 74 Nickel Silver Bottom Pins
Sizes: L160 - L354



.0935 Dia.

MASTER PADLOCK CYLINDERS (200 Pins per Pack) (P1)

- COLOR-CODED to Industry Specifications
- 7 Brass Master Pins - sizes: 1-7
- 2 Brass Top Pins - lengths: .120 & .136
- 8 Brass Bottom Pins - sizes: 0-7



.115 Dia.

ARROW CYLINDERS (V1)

- 8 Brass Master Pins - sizes: 2-9
- 1 Brass Driver Pin - length: .155
- 10 Brass Bottom Pins - sizes: 0-9

PACKAGE IDENTIFICATION S1 = Smart Pac V1 = Vial P1 = Polybag

Original Manufacturer's Pins

ALL LAB BRAND ORIGINAL PINS • 100 PER PACK EXCEPT WHERE NOTED

YALE CYLINDERS (P1)



.115 Dia.

- 7 Brass Master Pins - sizes: 2-8
- 3 Brass Driver Pins - lengths: .152, .190, .230
- 10 Brass Bottom Pins - sizes: 0-9

CCL & NATIONAL CYLINDERS (V1)

Brass Master Pins

- 8 NATIONAL sizes: 2-9
- 8 CCL sizes: X025 - X113 Brass Pins
- 4 NATIONAL sizes: 1-4 National Top Pins
- 2 CCL sizes: X115-X171 CCL Top Pins

Brass Bottom Pins

- 10 NATIONAL sizes: 0-9
- 17 CCL sizes: W111 - W223

SARGENT CYLINDERS (P1)



.115 Dia.

- 8 Brass Master Pins - sizes: 2-9
- 5 Brass Driver Pins - sizes: 10-14
- 10 Brass Bottom Pins - sizes: 1-10

SARGENT HOLLOW DRIVER (P1)

- 8 Brass Hollow Drivers - sizes: 4-11



.115 Dia.

SPOOL PINS FOR IC (P1)



.108 Dia.

- Brass
- .075 .084 .100 .125 .126 .168

SPOOL PINS FOR Std. Cylinders (V1) (S1)



.115 Dia.

- Brass
- .155 .160 .165 .170 .172
- .180 .187 .190 .200 .207
- .220 .235 .240 .273 .320

SERRATED HIGH SECURITY (V1)



.115 Dia.

- Pick Resistant
- Brass
- .155 .165 .170 .172 .187 .190 .200 .207
- .220 .235 .240 .273 .320

ACE (V1)



.077 Dia.

- Original Design and Sizes
- 7 Brass Master Pins - size: 1-7
- 3 Brass Bottom Pins - size: 9-11
- AC8 Springs SPGACEV1

BALDWIN CYLINDERS (V1) (S1) (P1)



.115 Dia.

- 8 Brass Master Pins - sizes 2-9
- 3 Brass Top Pins - sizes 1-3
- 10 Nickel Silver Bottom Pins - sizes 0-9


DEXTER CYLINDERS (V1) (S1) (P1)



.115 Dia.

- 8 Brass Master Pins - sizes 3-9
- 1 Brass Top Pins - size 2
- 10 Nickel Silver Bottom Pins - sizes 0-9

LOCKWOOD CYLINDERS (V1) (S1) (P1)



.115 Dia.

- COLOR-CODED
- 12 Brass Top Pins lengths: .030 .045 .060 .075 .090 .105 .120 .135 .165 .200 .220 .235
- 11 Brass Bottom Pins lengths: .150 .165 .180 .195 .210 .225 .240 .255 .270 .285 .300

WESLOCK CYLINDERS (P1)




.115 Dia.

- 8 Brass Master Pins - sizes: 2- 9
- 5 Brass Driver Pins - sizes: 10-14
- 10 Brass Bottom Pins - sizes: 1-10

PACKAGE IDENTIFICATION S1 = Smart Pac V1 = Vial P1 = Polybag



Universal Pinning Kits



Only LAB kits contain the most up-to-date, comprehensive pinning charts with technical data straight from the manufacturers. LAB's exclusive "eye saver" exploded view of information helps make pinning easy and accurate.

40% smaller
all the bells & whistles

Drawer Size:
6 1/2" Long
5 1/2" Wide
1-1 7/8" Drawer side-angled
Size: 13 1/4" X 10 1/2" 2"F X 3 1/4"B

SMART WEDGE

EXCLUSIVE FEATURES

- Developed for locksmiths with confined workspace in mind.
- Color Passport Pinning Chart with up-to-date factory pinning data
- Slide-out tool drawer
- 3 deep spring pockets
- 115LT - Tangle Resistant Spring
- 115S - Short Springs
- T-Pin Spring for Schlage® "F" Series Cylinders
- Double-sized pin pockets (holds up to 200 pins per size)
- Large tool pocket on top of tray
- Injected Molded High-Impact Tray with pin sizes printed 100% larger
- Contains 3 sizes of spool pins and the "F" Series T-Pin for Schlage® Cylinders
- 72 Pins per pocket • 100 Springs per pocket

LSW003

Pin Sizes:

- .003 Increments
- 92 Sizes
- Top Pins: .024 - .200, .235
- Spool Pins: .160, .165, .180
- T-Pin: .170 Schlage T Top Pin
- Bottom Pins: .159-.354*

LSW005

Pin Sizes:

- .005 Increments
- 86 Sizes
- Top Pins: .010-.200, .230, .235
- Spool Pins: .160, .165, .180
- T-Pin: .170 Schlage T Top Pin
- Bottom Pins: .155-.360

*Contains the most commonly used sizes - No Dead Stock

Universal Pinning Kits



21 5/8" x 7 7/8" x 1 5/8"



21 5/8" x 7 7/8" x 2" F X 3"B



21 5/8" x 8 1/2" x 4 1/2" F X 5 3/4"B
Internal Drawer Storage 12 1/2" x 7" x 2 5/16"

CLASSIC PRO solid metal construction

LPK003

- .003 Increments
- 124 Sizes
- Top Pins: .010 - .200
- Bottom Pins: .156 - .360
- Springs: 115L
- 72 Pins per pocket
- 100 Springs

LPK005

- .005 Increments
- 102 Sizes
- Top Pins: .010 - .300
- Bottom Pins: .150 - .360
- Springs: 115L
- 72 Pins per pocket
- 100 Springs

WEDGE PRO

EPK003

- .003 Increments
- 124 Sizes
- Tops: .010-.200
- Bottoms: .156 -.360
- Springs: 115L
- 72 Pins per pocket
- 100 Springs

EPK005

- .005 Increments
- 102 Sizes
- Tops: .010- .300
- Bottoms: .150-.360
- Springs: 115L
- 72 Pins per pocket
- 100 Springs

SUPER WEDGE with drawer

EPD003

- .003 Increments
- 124 sizes
- Tops: .010 -.200
- Bottoms: .156 -.360
- 50 Pins per pocket
- 100 Springs

EPD005

- .005 Increments
- 102 sizes
- Tops: .010 -.300
- Bottoms: .150-.360
- 50 Pins per pocket
- 100 Springs

THE LAB CLASSIC PRO, WEDGE PRO, SUPER WEDGE & SMART WEDGE PINNING KITS...

feature exclusive designs that can only be found on LAB PINNING KITS - U.S. PATENT number: 5,482,159.

FEATURES

All LAB Universal Kits feature one-piece steel construction with Seal- Tight cover, combined with traditional ultra-thin design. ALSO...

EXCLUSIVE Dual-View® Pin Tray
Pin sizes are enlarged and printed under the clear PETG tray, both above and inside the pin pockets for easy viewing at all angles.



EXCLUSIVE Color Passport Pin Chart®
Pin sizes printed on the chart are the same color as the actual pins.

The LAB WEDGE PRO and SUPERWEDGE Pin Kits are designed with a 10° angle. This allows the user to easily view the contents without leaning over the kit to select pin sizes.

These WEDGE designed Kits are most commonly referred to by Security Professionals as the "ULTIMATE" Pin Kits.





Universal Pinning Kits



22 1/2" x 8 3/4" x 2 1/4"

DUR-X SEMI PRO

LDKU3

- .003 Increments
- 124 Sizes
- Top Pins: .010 - .200
- Bottom Pins: .156 - .360
- Springs: 115L
- 50 Pins per pocket
- 100 Springs

LDKZ5

- .005 Increments
- 102 Sizes
- Top Pins: .010 - .300
- Bottom Pins: .150-.360
- Springs: 115L
- 50 Pins per pocket
- 100 Springs

FEATURES

DUR-X SEMI PRO is light weight and made of super tough polyethylene. It has triple-latch, double-snap protection with center lid carrying handle. Key slots under the kit make mounting in a van or on a work bench simple. The kit features full pin size ranges, Seal-Tight cover, Dual-View® Pin Tray and LAB's exclusive Color Passport Pin Chart®.



8 3/4" X 5 15/16" X 3/4"



LMK003

- .003 Increments
- 81 Sizes
- Masters: .024-.090
- Drivers: .093-.235
- Bottoms: .156- .354
- Cylinder Springs: 115L
- Pins per pocket (size dependent)

Tops: 18-80 per pocket
Bottoms: 18-35 per pocket

LMK005

- .005 Increments
- 81 Sizes
- Masters: .010 -.090
- Drivers: .095-.200
- Bottoms: .155-.360
- Cylinder Springs: 115L
- Pins per pocket (size dependent)

Tops: 20-150 per pocket
Bottoms: 10-30 per pocket

FEATURES

- Steel construction finished in LAB's Powder-Coat metallic paint. Mini kits come with Color Passport Pin Chart®.
- NO UNNECESSARY SIZES

All LAB Brand Original Lock Manufacturer's Metal Pinning Kits contain **Genuine Original Pins** in the specific sizes required to service the Original Manufacturer's Cylinders.



Metal Pinning Kits

For Original Lock Manufacturer's Cylinders

LAB Brand Interchangeable Core Kits



11 1/8" x 8 1/4" x 2" F x 3 1/4" B

LAB Brand A2 UNIVERSAL COLOR-CODED ICORE KIT

BFK108

- 10 COLOR-CODED Brass Bottom Pins Sizes 0-9
- 18 Brass Master/ Top Pins sizes 2-19
- Caps and both 6 & 7 Pin Spring Covers
- 2 different length Springs
108B - Long 108F - Short
- 2 style caps (stamped and machined)
- 3 in 1 (A2, A3, A4) Key Gauge
- Caps and both 6 & 7 Pin Spring Covers
- Deep Tool Pocket to fit LAB ANNEX®
- COLOR-CODED Chart
- 100 pins per pocket



11 1/8" x 8 1/4" x 1 3/4"

LAB Brand A2 UNIVERSAL COLOR-CODED INTERCHANGEABLE CORE PIN KIT

BSCICC

- Traditional Non-Wedge Design
- COLOR-CODED Brass Pins
- 10 Brass Bottom Pins sizes 0- 9
- 18 Brass Master/ Top Pins sizes 2-19
- Stamped Caps
- 6 & 7 Pin Spring Covers
- 2 different length Springs:
108B - Long 108F - Short
- 100 pins per pocket

LAB Brand A2 ORIGINAL ICORE For: Falcon, Schlage small format, Medeco Keymark, etc.

NSK108

- 10 Nickel Silver Bottom Pin sizes 0-9
- 18 Brass Master/Top Pins sizes 2-19
- Caps and both 6 & 7 Pin Spring Covers
- 2 different length Springs
108B - Long 108F - Short
- Deep Tool Pocket for LAB ANNEX®
- 100 pins per pocket



11 1/8" x 8 1/4" x 1 3/4"

LAB Brand A3/A4 UNIVERSAL COLOR-CODED ICORE KIT

A3BFK

A3

- 7 COLOR-CODED Brass Bottom Pins Sizes 0-6
- 13 Top Pins sizes 1-13

A4

- 15 COLOR-CODED Brass Bottom Pins sizes 1-15
- 11 COLOR-CODED Brass Top Pins sizes 1-11
- 2 different length Springs
108B - Long 108F - Short
- Stamped Caps
- 100 pins per pocket



11 1/8" x 8 1/4" x 1 3/4"

NOTE:
For **BEST**
Original IC
See Page 23



Metal Pinning Kits

For Original Lock Manufacturer's Cylinders

All LAB Brand Original Lock Manufacturer's Metal Pinning Kits contain **Genuine Original Pins** in the specific sizes required to service the Original Manufacturer's Cylinders.



11 1/8" x 8 1/4" x 2" F x 3 1/4" B

LAB Brand SCHLAGE

SPK115

- 10 Nickel Silver Bottom Pins
- 8 Brass Master Pins
- 3 Brass Top Pins
- Cylinder Cap Spring & Pin SP74 / SCHCAP
- Cylinder Springs 115L
- SCHLAGE "F" Series T-Pins and Springs
- SCHLAGE Plug Follower
- Pinning/Bitting Chart
- 100 pins per pocket



11 1/8" x 8 1/4" x 1 3/4"

LAB Brand SCHLAGE

BSCSCH

- Traditional Non-Wedge Design
- 10 Nickel Silver Bottom Pins
- 8 Brass Master Pins
- 3 Brass Top Pins
- Cylinder Cap Spring & Pin SP74 / SCHCAP
- Cylinder Springs 115L
- SCHLAGE "F" Series T-Pins and Springs
- SCHLAGE Plug Follower
- Pinning/Bitting Chart
- 100 pins per pocket

LAB Brand KWIKSET

KPK115

- 6 Brass Bottom Pins
- 2 Brass Top Pins
- 6 Brass Master Pins
- Cylinder Springs KWKSPG
- COLOR-CODED to Industry Specifications
- Contains .160 & .180 Kwikset Anti-Pick Spool Pins
- Includes Cylinder Removal Tool (pickle fork)
- Plug Follower
- Pinning/Bitting COLOR-CODED Information Chart
- 100 pins per pocket



11 1/8" x 8 1/4" x 2" F x 3 1/4" B



11 1/8" x 8 1/4" x 1 3/4"

LAB Brand KWIKSET

BSKWK

- Traditional Non-Wedge Design
- 6 Brass Bottom Pins
- 2 Brass Top Pins
- 6 Brass Master Pins
- Cylinder Springs KWKSPG
- COLOR-CODED to Industry Specifications
- Contains .160 & .180 Kwikset Anti-Pick Spool Pins
- Includes Cylinder Removal Tool (pickle fork)
- Plug Follower
- Pinning/Bitting COLOR-CODED Information Chart
- 100 pins per pocket

All LAB Brand Original Lock Manufacturer's Metal Pinning Kits contain **Genuine Original Pins** in the specific sizes required to service the Original Manufacturer's Cylinders.

Metal Pinning Kits

For Original Lock Manufacturer's Cylinders



11 1/8" x 8 1/4" x 1 3/4"

LAB Brand SARGENT

SGT115

- 10 Brass Bottom Pins
- 8 Brass Master Pins
- 5 Brass Driver Pins
- Cylinder Springs 115S
- 100 pins per pocket



11 1/8" x 8 1/4" x 1 3/4"

LAB Brand WEISER

WSR115

- 10 Brass Bottom Pins
- 8 Brass Master Pins
- 1 Brass Top Pin
- Cylinder Springs 115L
- COLOR-CODED to Industry Specifications
- 100 pins per pocket



11 1/8" x 8 1/4" x 1 3/4"

LAB Brand SCHLAGE & KWIKSET

LSK2N1

SCHLAGE SIZES

- 10 Nickel Silver Bottom Pins
- 8 Brass Master Pins
- 3 Brass Top Pins
- Cylinder Springs 115L
- 100 pins per pocket

KWIKSET SIZES

- 6 Brass Bottom Pins
- 2 Brass Top Pins
- 6 Brass Master Pins
- Cylinder Springs KWKSPG
- COLOR-CODED to Industry Specifications
- 100 pins per pocket



For all Corbin Russwin keyways and all depth systems. Accommodates conventional, master ring and ICore cylinders

21 5/8" x 7 7/8" x 1 5/8"

LAB Brand CORBIN RUSSWIN KITS

LRCK6

- 67 Brass Top Pin sizes
- 51 Nickel Silver Bottom Pin sizes
- Spool Pins (standard) J172 & J320
- Cylinder Springs 115L
- Superior LAB construction with Seal-Tight Cover
- Dual-View® Pin Tray (pin sizes printed under clear tray)
- Heavy-duty steel box with ultra-thin features
- 50 pins per pocket



11 1/8" x 8 1/4" x 2" F x 3 1/4" B

LAB Brand CORBIN/RUSSWIN SYSTEM 70 DH & Z

LIKCR

- Contains 12 Original Nickel Silver Bottom Pins Brass Tops and Masters
- Cylinder Springs 111IC / 111SD
- .028 pin depths
- .509 & .552 Diameter plugs
- Repinning system 70 DH & Z including ICore
- 100 pins per pocket



Mini DUR-X Pinning Kits

For Original Lock Manufacturer's Cylinders

All kits contain approximately
25 PINS
per pocket



8" x 5 1/8" x 1 3/4"

SCHLAGE CYLINDERS

LMDSCH

- 8 Master Pins Brass
- 4 Driver Pins Brass
- 10 Bottom Pins Nickel Silver
- Cylinder Cap Pins and Springs
- Cylinder Springs 115L

ACE CYLINDERS (Tubular)

LMDACE

- 7 Top Pins Brass
- 3 Bottom Pins Brass
- Cylinder Springs SPGACE

WEISER CYLINDERS

LMDWSR

- 8 Master Pins Brass
- 1 Driver Pin Brass
- 10 Bottom Pins Brass
- Cylinder Springs 115S
- COLOR-CODED to Industry Specifications

.019 YALE CYLINDERS

LMDYLE

- 7 Master Pins Brass
- 3 Driver Pins Brass
- 10 Bottom Pins Brass
- Cylinder Springs 115S

KWIKSET CYLINDERS

LMDKWK

- 6 Master Pins Brass
- 2 Standard Driver Pins Brass
- 2 Anti-Pick Driver Pins Brass
- 6 Bottom Pins Brass
- Cylinder Springs KWKSPG
- COLOR-CODED to Industry Specifications

ARROW CYLINDERS

LMDARW

- 8 Master Pins Brass
- 1 Driver Brass
- 10 Bottom Pins Brass
- Cylinder Springs 115L

MASTER PADLOCK CYLINDERS

LMDMAS

- 7 Master Pins Brass
- 2 Top Driver Pins Brass
- 8 Bottom Pins Brass
- Cylinder Springs SP95
- COLOR-CODED to Industry Specifications

SARGENT CYLINDERS

LMDSGT

- 8 Master Pins Brass
- 5 Driver Pins Brass
- 10 Bottom Pins Brass
- Cylinder Springs 115S

WESLOCK CYLINDERS

LMDWES

- 8 Master Pins Brass
- 2 Top Pins Brass
- 11 Bottom Pins Brass
- Cylinder Springs 115L /115S

3-N-1 UNIVERSAL KIT

LMD3N1

- This unique 3-N-1 Universal kit contains all the COLOR-CODED Universal pins required to re-pin Kwikset, Schlage and Weiser.
- 3 Top Pins Brass
- 23 Bottom Pins Brass
- Cylinder Springs 115L

A2 IC CYLINDERS

LMDICC

- COLOR-CODED Brass Pins
- 15 Top/Master Pins
- 10 Bottom Pins
- Long & Short Cylinder Springs 108B /108F
- Caps Stamped I027

A2 IC CYLINDERS

LMDOIC (Falcon, Schlage Small format, Medeco, Keymark etc.)

- 15 Top/Master Pins Brass
- 10 Nickel Silver Bottom Pins
- Long & Short Cylinder Springs 108B/108F
- Caps Stamped I027

A2 IC BEST CYLINDERS

LMDBIC (BEST ONLY)

- 15 Top/Master Pins Brass
- 10 Nickel Silver Bottom Pins
- BEST Springs Long 108B
- BEST Caps Stamped I027

BALDWIN CYLINDERS

LMDBAL

- 8 Master Pins Brass
- 3 Top Pins Brass
- 10 Bottom Pins Nickel Silver
- Cylinder Springs 115L

SECURITY PLUS

LMDSEC

- 13 Spool Pins Brass
- 13 Serrated Pins Brass
- Adds pick resistance to most standard Lock Cylinders using .115 Dia. pins
- Cylinder Springs 115S

DEXTER CYLINDERS

LMDDXT

- 8 Master Pins Brass
- 1 Top Pin Brass
- 10 Nickel Silver Bottom Pins
- Cylinder Springs 115L

LOCKWOOD CYLINDERS

LMDLWD

- COLOR-CODED Brass Pins
- 12 Brass Top Pins
- 11 Brass Bottom Pins
- Cylinder Springs 115L

CORBIN RUSSWIN LFC

LMDCR

- 20 Brass Master/Top/Build-Up Pins
- 6 Top Pins Brass
- Build Up Pins +1 to -4 Brass
- 5 Master Pins Brass
- 6 Nickel Silver Bottom Pins
- Corbin Russwin ICore Cylinder Springs 111IC

FEATURES

LAB Mini DUR-X Kit

"A unique and revolutionary departure from the breakable plastic pinning kits." These very handy Mini DUR-X Pinning Kits contain only LAB BRAND PINS for original lock manufacturer's cylinders. Made of Super-Tough polyethylene, each kit features a platform insert with a reusable protective cover to protect contents. Contains location chart and only those size pins and springs required to re-pin specific lock companies' cylinders.

Custom Pinning Products

REPINNING KIT

LREPIN

The LAB Repinning Kit was designed with the repinner in mind. Its unique insert has pocket depths unlike a normal pinning kit. The locksmith can customize their own repinning kit to accommodate their specific needs (ie. pins, clips, springs, cores, tools.)

- Smart Wedge Design
- Uniquely designed insert
- Sold empty
- Side drawer for tools
- Can accommodate approximately 2000 of the largest Schlage pin in the big pockets and upwards of 5000 of the smallest pin
- Leakproof Seal-Tight Cover
- Wedge Shape with 10° angle

Drawer Size:
6 ½" Long
5 ½" Wide
1-1 7/8" Drawer
side-angled



13 ¼" x 10 ½" x 2"F x 3¼"B

STARTER KIT

The LAB Starter Kit is made of the same durable polyethylene material as the LAB DUR-X. The kit covers the needs of locksmith schools, training classes or seminars and those starting out in the industry. Tools are stored in a deep pocket under the Pinning Block.

***NOTE:**
Plug Follower
not required in:
LSKICC, LSKOIC
and LSKBIC

KIT Includes:

- Polyethylene Case
- 11 Kit variations
- Molded Pinning Block
- Formed End Tweezers
- Key Gauge (Not in Sargent LSKSGT or Arrow LSKARW)
- Plug Follower (Not in ICore Kits)
- Kwikset Cylinder Removal Tool (LSKKWK Only)

11 Kit Variations:

Available in the following configurations

- LSK003 - .003 Mini Metal Universal
- LSK005 - .005 Mini Metal Universal
- LSKSCH - SCHLAGE Mini DUR-X
- LSKSGT - SARGENT Mini DUR-X**
- LSKKWK - KWIKSET Mini DUR-X
- LSKWSR - WEISER Mini DUR-X
- LSKICC - A2 Brass ICore Mini DUR-X*
- LSKOIC - A2 Nickel Silver ICore Mini DUR-X*
- LSKBIC - BEST A2 ICore Mini DUR-X*
- LSK3N1 - 3N1 KWIKSET/SCHLAGE/WEISER Mini DUR-X
- LSKARW - ARROW Mini DUR-X**

****NOTE:** Key Gauge not in LSKSGT or LSKARW



Large tool storage pocket
below Pinning Block

15" x 10 3/8 x 3 3/8"

SPRING KIT

LSPGKIT

Loaded with every Spring LAB manufactures along with Shims, Covers and Caps plus Spool and T -Pins. There are ten pockets left empty allowing more custom filling by the locksmith. The Smart Wedge design includes a side drawer for tools.

KIT Includes:

Springs: (125* to 250 springs**)

- Corbin Stainless ICore Springs: 111IC*
- Corbin Stainless Standard Springs: 111SD*
- Master/Yale Springs: SP95*
- Kwikset Stainless Springs: KWKSPG*
- ACE Springs: SPGACE*
- Schlage F Series T-Pin Springs: SPGSCH*
- Schlage Cylinder Cap Springs: SP74*
- Universal .115 Long Tangle Resistant Springs: 115LT**
- Universal .115 Long Standard Springs: 115L**
- Universal .115 Short Standard Springs: 115S**
- Falcon ICore Short Springs: 108F**
- Best ICore Long Springs: 108B**

Pins:

- 100 Kwikset .160 Spool Pins: LJK160
- 100 Kwikset .180 Spool Pins: LJK180
- 100 Schlage T-Pins: F506-451

Interchangeable Core Caps:

- 250 ICore Stamped: I027
- 250 ICore Machined: I027M

Shims / Covers:

- 100 Curved Shims: LSM0
- 50 Pin Covers: FSC6 (6 Pin)
- 50 Pin Covers: FSC7 (7 Pin)

Tools:

- LFT001 - Universal Plug Follower
- LKGS - Kwikset/ Schlage Key Gauge

Drawer Size:
6 ½" Long
5 ½" Wide
1-1 7/8" Drawer
side-angled



13 ¼" x 10 ½" x 2"F x 3¼"B

* 125 Springs, **250 springs

Picking Instruments designed by G.L. Finch



LPT013 17 Piece Set - 4 1/2" x 6"



LPT015 10 Piece Set - 2 1/4" x 5"

Pick Set Contents	LPT015	LPT013
LPT001 Shallow Hook-Deep Hook		•
LPT002 Half Ball-Shallow Hook	•	•
LPT003 Half Diamond-Deep Hook	•	•
LPT004 Large Rake-Shallow Hook	•	•
LPT005 Medium Rake-Medium Hook	•	•
LPT006 Small Rake-Deep Hook	•	•
LPT007 Small Rake-Half Diamond	•	•
LTTM01 MediumTurningTool (.075) Full Twist ONE END	•	•
LTTM02 MediumTurningTool (.093) Full Twist ONE END	•	•
LTTM03 MediumTurningTool (.125) Full Twist ONE END	•	•
Removable Handles	1	6

FEATURES

- Durable Nylon Case
- Unique Designs
- Velcro Closures
- Half and Full Twist designed Stainless Steel Turning Tools
- Stainless Steel Picks




LPT001 Shallow Hook - Deep Hook



LPT002 Half Ball - Shallow Hook



LPT003 Half Diamond - Deep Hook



LPT004 Large Rake - Shallow Hook



LPT005 Medium Rake - Medium Hook



LPT006 Small Rake - Deep Hook



LPT007 Small Rake - Half Diamond



KEY EXTRACTORS

LABKES

- Easily remove broken keys from cylinders. Save time and expense without destroying the cylinder.
- Set of the 3 most popular broken key extractors: one single hook, one double hook, one saw blade
- 301 stainless steel rust resistant material
- Tools approximately 4.75" long and tool working thickness is 0.020". This allows use where other thicker extractors will not work.
- Welded stainless steel rivetless handle. No need for a separate tool holder. Handles provide comfort and great feedback.
- Each tool is meticulously deburred and polished
- Unique hook angle allows for quicker broken key removal
- Custom pouch to protect the tools for years of use
- LAB brand tools known for dependability and value



Professional Locksmith Tools & Accessories

Set of
4



ANODIZED ALUMINUM PLUG FOLLOWERS

LFTSA

They are color coded and laser engraved with the follower diameter sizes.

They come in a reusable box for easy storage and field use to meet the needs of today's cylinders.

- Diameters include 0.550", 0.500", 0.495" and 0.398"
- Features allow for easy use with most rim, mortise, padlock, key-n-knob / lever cylinders with or without tail pieces.
- Sold only as a set

DELTRIN® FOLLOWERS



LFT000 Schlage (.500) Dia. (For 3 types of cylinders)



LFT003 Corbin (.550) Dia.



LFT001 Universal (.498) Dia.



LFT004 Small Plug (.398) Dia.



LFT002 Weslock (.500) Dia.



LFT008 Kwikset (.500 Dia)

FOLLOWER SET ALSO AVAILABLE

LFT005

5 Piece Set of All the Followers (except Kwikset)

FEATURES

- Light weight
- Very durable
- White Delrin®
- Reflects light
- Followers are not labeled

TURNING TOOLS




LTTM01 .078 Tip - Medium Flex

LTTM02 .093 Tip - Medium Flex

LTTM03 .125 Tip - Medium Flex

NOTE: All LAB Turning Tools are double-ended with standard and half-twist tips on each end




CYLINDER CAP REMOVAL TOOL

LCR005

At last there is a time saving tool to remove the cylinder caps from Schlage, Weiser, Arrow and Falcon cylinders. This tool has been modified to accommodate the extended tailpiece for Schlage cylinders.

- CNC Manufactured
- 303 Stainless Steel
- Stronger than plated steel versions

FORMED END TWEEZERS



Pin Tip

LZT001

- Formed ends for positive grip
- Perfect size & weight
- Made of 430 Stainless Steel
- Length 4 5/8"



DOOR PREP TEMPLATE

DPT1

- Stainless Steel laser engraved
- For times when a door jig or paper template is just not enough
- Finish on doors will not be damaged
- Locate backsets 2 3/8" or 2 3/4" for the lockset / deadbolt 2 1/8" through hole
- Locates 1" center hole location for 1 3/8", 1 3/4", or 2 1/4" thick doors
- Quick and precise locations even for doors with decorative trim
- Inexpensive back up tool for quick installs
- Metal or wood door use
- Dimensions: 3.5"H x 3"W x 1.48"D



LAB LUBE 1.0 oz.

LLT001

- Made of Polytetrafluoroethylene
- A micronized* powder lock lubricant that will not "cake-up" as graphite does
- A superior friction-fighting agent
- Used by most major lock manufacturers

*Material safety data sheet available at labpins.com



STRIKE LOCATOR

LDS1

- Solid stainless-steel billet one piece construction for years of use
- Laser engraved
- Used to mark door jamb / frame for proper strike hole location
- Grooved for increased ease of use
- Guarantees proper bolt / latch alignment to the strike hole
- For use on wood and steel preps
- Dimensions: 2.5"L x .985"Dia.

Professional Locksmith Tools & Accessories



CAPPING PRESS

LCP001

- Designed to cap all small format Interchangeable cores with a 0.150" spacing
- All SFIC 6 or 7 pin cores
- Designed for high volume interchangeable core pinners
- Factory adjusted and tested no field adjustments required
- Saves time and money versus manual hand capping methods
- Replacement punch sub assembly is available (LCP001-12)
- Must be mounted to use and weighs 32.5 pounds fully assembled
- **LCP001-H** Extension Handle Sold Separately (20")




Image on the top is the item supplied and the item on the bottom is the strip after it has been used 4 times

LAB CAPPING STRIPS

- Each Strip will cap 4 six or seven pin cores and reduce your cost compared to traditional capping methods by reducing your time and effort.
- The brass strip is designed for small format IC with 0.150 inch spacing.

LBCSP50 (50 Pieces)

LBCSP250 (250 Pieces)



REPLACEMENT PART

LCP001-12

- Replacement punch sub assembly
- Designed exclusively for the LAB IC Pro150 SFIC Capping Press

Includes:

- ANNEX with Slideout Code Book
- Capping Instrument (LCI001)
- Pin Stack Evictor (LPE001)

Approximate Size:

- Depth: 1 1/8"
- Width: 1 1/4"
- Height: 3"
- Weight: 0.80 lb.

INTERCHANGEABLE CORE ANNEX® with Slideout Code Book

LICCB

The LAB Interchangeable Core Annex® offers the simplest method for the loading of Interchangeable Core pins, springs and caps, using only one instrument for both functions. A second time saving feature is a Slideout Code Book below the area where the core is slid in place. This allows the user to unload the core pins, springs and caps into a confined area without spilling parts in or around the work area. This Slideout Code Book is also used to decode the core to determine the bitting of the control key when it is not available and also determine the top master key bitting.

MADE OF SOLID STAINLESS STEEL

UNITED STATES PATENT 6,021,655

LPE001 Pin Stack Evictor **LCI001** Capping Instrument

Tools are available separately.




PIN STACK EVICTOR

CAPPING INSTRUMENT

Both tools above are exclusively designed for use with the LAB I.C. ANNEX® only

CAUTION:


Use Only Plastic or Rawhide Mallet With This ANNEX. Use of Metal Hammers **WILL DAMAGE IT!**



LAB EASY WAY PINNING CHART

LSC001

- A2 Interchangeable Core Cylinders
- Use for all levels of master keying
- Exact pin usage
- Instructions included



ICORE KEY GAUGE

LKGIC

- A2, A3, and A4 Systems
- Thickness 20 Gauge
- Laser machined and engraved to maintain LAB's strict quality standards
- Measures 2.75" x 2.00"
- 304 Stainless Steel



2-N-1 GAUGE

LKGKS

- 2-N-1 Gauge for Kwikset, Schlage only
- Thickness 20 Gauge
- 304 Stainless Steel



KEY GAUGE

LKG002

- 6-n-1 Key Gauge that is designed for Schlage, Kwikset, Medeco, Yale, Master and Sargent.
- Half moon cutout for most C-clips.
- Thickness 20 Gauge
- Dimensions: 3.875" L x 2.130" W
- 304 Stainless Steel



*parts shown are not included.

WOOD BLOCK PINNING TRAY

LPB001

- Made of maple
- Holds 4 plugs
- Great for repinning multiple cylinders, master and grand master pinning
- Measures 5 1/4" x 4 1/4"



PORTABLE PINNING TRAY

LPB002

- Tough Polyethylene construction
- Platform insert
- Secure lid allows for pre-staging
- Holds 4 plugs
- Size: 8" x 5 1/8" x 1 3/4"



*parts shown are not included.

LAB PIN/WORK MAT

LABMAT

- Approximate size 21" X 11" and .250 inch thick polyvinyl
- Redesigned pebble areas for improved retention and retrieval of loose pins
- Multiple ambidextrous pin block areas
- Dual V-Block areas for rim or mortise cylinders
- Expanded textured tool / part areas
- Larger size great for vans or benches



KWIKSET CYLINDER REMOVAL TOOL

CRT001

- Used on Standard 400 Series cylinder assemblies
- Made from 0.080" thick cold rolled steel
- Yellow dichromate coated to resist corrosion
- Length 6 1/16"

BEST Original Pins and Pin Kits By LAB

For BEST A2, A3, A4 INTERCHANGEABLE CORES ONLY



STAINLESS STEEL SPRINGS

108SV1

- Package Qty - 100
- 108SV1
- 108SP5 (500 Springs)



7 1/2" x 4 1/2" x 1 1/2"

LAB Mini DUR-X Kit For: BEST ORIGINAL A2 IC

LMDBIC

- 15 Brass Top/Master Pins
- 10 BEST Original Profile Nickel Silver Bottom Pins
- BEST Springs 108B (50ea)
- BEST Caps Stamped I027
- Approx. 25 Pins per pocket

Both tools below are exclusively designed for use with the LAB I.C. ANNEX[®] only

Includes:

- ANNEX with Slideout Code Book
- Capping Instrument (LCI001)
- Pin Stack Evictor (LPE001)

Approximate Size:

- Depth: 1 1/8"
- Width: 1 1/4"
- Height: 3"
- Weight: 0.80 lb.



PIN STACK EVICTOR
CAPPING INSTRUMENT

CAUTION:
Use Only Plastic or Rawhide Mallet With This ANNEX. Use of Metal Hammers **WILL DAMAGE IT!**



See page 7 for part numbers



11 1/8" x 8 1/4" x 2" F x 3 1/4" B

LAB BRAND KIT FOR: BEST ORIGINAL A2 IC

LKIC


- Top Pins: 2B-19B Full Hard Brass Pins per pocket -100
- Bottom Pins: 0A - 9A
- 200 BEST Original Profile Nickel Silver pins per pocket
- Caps Stamped / Machined
- Stainless Steel Springs 108S

INTERCHANGEABLE CORE ANNEX[®] with Slideout Code Book

LICCB

The LAB Interchangeable Core Annex[®] offers the simplest method for the loading of Interchangeable Core pins, springs and caps, using only one instrument for both functions. Solid Stainless Steel


See More on page 21



BEST ORIGINAL PROFILE PINS BY LAB

BEST Original Profile Pins & Caps

- LAB BEST IC Pins for A2, A3, A4 systems for use with all BEST ICORES
- A-2 Master / Top Brass Pin sizes 2B-19B Bottom Nickel Silver Pin sizes 0A-9A
- A-3 Master / Top Brass Pin sizes 1D-13D Bottom Nickel Silver Pin sizes 0C-6C
- A-4 Master / Top Brass Pin sizes 1F-1F Bottom Nickel Silver Pin sizes 0E-5E



ICORE KEY GAUGE

LKGIC

- A2, A3, and A4 Systems
- Thickness 20 Gauge
- Laser machined and engraved to maintain LAB's strict quality standards
- Measures 2.75" x 2.00"
- 304 Stainless Steel

LAB EASY WAY PINNING CHART

LSC001

- A2 Interchangeable Core Cylinders
- Use for all levels of master keying
- Exact pin usage
- Instructions included

BEST tradenames and trademarks used in this Product Guide are owned by the manufacturer of such products

LAB INTERCHANGEABLE CORE .108 DIA. **BOTTOM PIN PRODUCT DATA SHEET**



BEST ORIGINAL BY LAB INTERCHANGEABLE CORE BOTTOM PIN DESIGN

Available in sizes to meet A2, A3, A4 system requirements

Note: Use Only Nickel Silver Bottom Pins with Nickel Silver Key Blanks.

Nickel Silver Material:

- For use with all BEST INTERCHANGEABLE CORE only
- Increased flat nose design to give positive key function

Packaging:

- Available in Polybag only (standard pack 100)



LAB ORIGINAL INTERCHANGEABLE CORE BOTTOM PIN DESIGN

Available in sizes to meet A2, A3, A4 system requirements

Note: Use Only Nickel Silver Bottom Pins with Nickel Silver Key Blanks.

Nickel Silver Material:

- For use with all IC using Nickel Silver keys (Except BEST).
Falcon, Schlage small format, Medeco Keymark, Arrow
- Radius to flat transition to decrease key/pin wear

Packaging:

- Available in Polybag only for (A3, A4), A2 is Vial (V1) or Polybag (P1), (standard pack 100)



LAB UNIVERSAL INTERCHANGEABLE CORE Bottom Pin Design

UNIVERSAL BRASS FOR A2, A3 & A4 INTERCHANGEABLE CORE CYLINDERS

Note: Use Brass Key Blanks with Brass Pins Only

- A2/A4 are COLOR-CODED, A3 is COLOR-CODED Bottom Pins only
- Full Hard Brass Alloy

Packaging: (V1) (S1)

- (standard pack 100)

	A2	A3	A4
Tops	1-19	2-19	2-19
Bottoms	0-9	0-6	0-5

***NOTE:** Visit www.labpins for downloadable IC Technical Sheets.



Mr. Robert A. Labbe

Born on American pride and craftsmanship, Mr. Robert A. Labbe started LAB in 1956. The purpose, to provide the finest quality lock tumbler pins and pin kits to the locksmith trade and lock manufacturers.

Mr. Labbe and his team have made LAB the single largest company in the world dedicated to the manufacturing of lock tumbler pins. Mr. Labbe has done this through his hard work, innovative design and craftsmanship. He has also built a team of dedicated LAB employees, LAB Sales Representatives, and a network of the finest Security Hardware Distributors in the Industry today.

LAB provides precision lock tumbler pins, pin kits and LAB tools to over 30 of the largest lock manufactures worldwide.

In today's economy value and quality mean everything. At LAB we stand by the fact that we can produce an American made product of unrivaled quality and be able to pass it on at fair value.

Mr. Labbe's ability to design and refine standard machine operations gave birth to what is the foundation of LAB today. The dedication to quality and the commitment to provide fine American made products for the locksmith trade and lock manufacturers will take LAB into the next 60 years.

LAB®



**PROVIDING THE
SECURITY WORLD
WITH QUALITY
SINCE 1956**



Ace, Arrow, BEST, Baldwin, CCL, Corbin Russwin, Dexter, Dorma Kaba, Falcon, Kwikset, Master, Medeco, Kaba, Keymark, Medeco Biaxial, National, Sargent, Schlage, Weiser, Weslock, Yale, Delrin and other trade names and trademarks used in this Product Guide are owned by the respective manufacturers of such products.

June 2024

www.labpins.com
800-243-8242

700 Emmett Street
Bristol, CT 06010 USA